

MINI EXCAVATOR | 35Z-1

JCB



OPERATING WEIGHT
7,840 lbs

ENGINE POWER
24.7HP

BUCKET TEAROUT
7,284 lbf

A BETTER PLACE TO WORK.

With a spacious cab, clear flat floor and hands-free bluetooth radio with media socket, the 35Z-1 excavator cab is a great place to work.



ZERO TAILSWING

Zero tailswing for more manoeuvrability allowing for greater access while in compact work areas



EASE OF USE.

New dig end geometry and superior visibility makes dumper loading easy. Tilt-rotate option available to give you ultimate flexibility.



COMPLETE CONTROL

Electro-proportional circuits allow up to 10 pre-set attachments while factory-fitted quickhitch makes changeover easy.


TOUGH.

Hoses are routed through the dig end for maximum protection against damage and wear, while O-ring face sealed hydraulic connections protect against leaks.



BUILT TO LAST

100% steel bodywork provides better resistance to site damage and is easier to repair.



SAFETY.

Seatbelt-activated green beacon, follow-me-home lights, lift overload system and JCB's unique 2GO system, all contribute to safer working.



SERVICEABILITY

Unrivalled service access with easy-to-remove panels, fully opening side & rear bonnets and grouped check points.

LOW COST OF OWNERSHIP.

Minimum downtime with the help of an on-screen health check display and an easy-to-clean sloping undercarriage for a rapid turnaround.



EFFICIENT

Industry-leading fuel efficiency, with programmable auto-idle, for low fuel consumption and emissions.



MINI EXCAVATOR | 35Z-1



SPECIFICATION.

MODEL	35Z-1
Dig depth	10f 6in
Service intervals	500 hours
Transport length	15ft 11in
Transport height	8ft 2in
Transport width	5ft 9in
Shipping weight	7,432lbs



STANDARD FEATURES.

- 500 hour greasing intervals
- 24.7hp diesel engine
- No engine aftertreatment
- 2-way dozer
- Rubber tracks
- Bolt-on grab handles
- LED beacons & worklights
- Auto kick-down track motors



The new 35Z-1 zero tailswing excavator.

3.5T MINI EXCAVATOR

FIND OUT MORE

JCB

www.jcb.com

